

WELIGHTING WINK SERIES




Beauty mirror light, discover the secret of light





Traditional spot lights, when the person closer to the mirror, the light on the face is darker, the shadow is more obvious, can not see the facial details and true makeup





The new mirror light combines the functions of contour light and fill light.

The light of the face is brighter and more delicate, the features are more three-dimensional, the details are clearly visible, and the face is softer

Tridional Spotlight




Direct light, no fill-in light, creating a double shadow on the face



The closer the person is to the mirror, the light will be blocked by the head and the less light will reach the face

Beauty mirror light

Beauty light=contour light + soft fill light The use of professional studio lighting method, effectively eliminate facial shadows, increase local fill light, show the real face



The reflection of light through the mirror effectively eliminates the shadow of the face and softens the face



Patented optical design The closer you get to the mirror, the more light your face gets

Traditional Spotlight

The lighting on the face is uneven, which hinders accurate observation of the actual makeup.

Beauty mirror light

Solve the problem of environmental lighting and facial lighting



The difficulty of traditional bathroom lighting solutions

- * Facial shadow
- * The closer you get to the mirror, the darker your face gets
- * Facial details are unclear
- * You can't see the real makeup on your face



Double side panel lights added Glare of light



Strip light and more spotlight added Increased costs, difficult sanitation



Add a small pendulum mirror, easy to break

Beauty mirror light solution

- * Low facial shadow
- * The closer you get to the mirror, the brighter your face gets
- * Details of the face are clearly visible
- * Show realistic facial makeup
- * Brighten the bathroom

One lamp solves the difficulty of mirror lights without adding other auxiliary lighting, and is the best vanity spotlight solution for hotel bathrooms




750


Laboratory data

CRI: Ra 98 IES: Rf 98,Rg 102

Solar spectral curve 400 450 500 550 600 650 700 Beauty mirror light spectral curve

Eff: 77.69 lm/W Im: 997.422 Cd:1461






Distribution Curve

Lux-Distance Curve


Maintain high levels of brightness and minimal fading According to lux-distance curve, the illumination of 3 meters is more than 120lux, which is an excellent choice of mirror light for hotels, shopping malls and home Spaces



Installation guide:

- 1. When people stand straight, they are 0.5-0.8 meters away from the mirror, and there is a forward-leaning posture, at this time, the face is almost 0.3-0.4 meters away from the mirror.
- 2. The lamp is 0.4 meters away from the wall and the ceiling is 2.8 meters high. Other installation size suggestions: H 2.8m - 3m / 0.4m, H 3.2m - 3.5m / 0.6m.
- 3. The mirror is 0.4 meters away from the ceiling. 4. In the case of large mirror width, it is necessary to install multiple lights, the distance between the lights is 0.5 meters, if the two sides of the mirror are close to the wall, the lamp can be rotated inward 15°, the installation effect is better.
















WINK 55







Model Code:	WE BT1011E55
Type:	Recessed
Cutout:	Ф55mm
Size:	Ø62x77.5mm
CCT:	2700K~6500K
Beam declination:	To mirror:35°
	To person:15°
IP Protection Class :	IP44
Voltage [V]:	AC220-240V 50/60Hz
Power:	9W

Reflector cover:







Optional:



Gun


ack Matt Black

Matt White

Honeycomb

10 WELIGHTING





WINK 75







Model Code:	WE BT1011E75
Type:	Recessed
Cutout:	Ф75mm
Size:	Ø84x78mm
CCT:	2700K~6500K
Beam declination:	To mirror:35°
	To person:15°
IP Protection Class :	IP44
Voltage [V]:	AC220-240V 50/60Hz
Power:	13W

Reflector cover:





Optional:





Gun Black Matt Black

Matt White

WELIGHTING 11







Ø55mm

WINK TL 55







Model Code:	WE BT1011YT55
Туре:	Trimless Type
Cutout:	Φ55mm
Size:	Ø84.5x79mm
CCT:	2700K~6500K
Beam declination:	To mirror:35°
	To person:15°
IP Protection Class :	IP44
Voltage [V]:	AC220-240V 50/60Hz
Power:	9W
	J.,

Reflector cover:



9



Optional:




Gun Black

Matt Black

Matt White

12 WELIGHTING





Ø75mm

WINK TL 75







Model Code:	WE BT1011YT75
Туре:	Trimless Type
Cutout:	Ф75mm
Size:	Ø108x78.7mm
CCT:	2700K~6500K
Beam declination:	To mirror:35°
	To person:15°
IP Protection Class :	IP44
Voltage [V]:	AC220-240V 50/60Hz
Power:	13W

Reflector cover:







Optional:




Gun Black

Matt White

Honeycomb

WELIGHTING 13

WINK SERIES



Application / Hotel Bathroom










Application / Fitting room








Application / Barber shop



Application / Beauty salon



Application /
Whole house custom shop





www.welighting.com



WELIGHTING



+852 2359 9866



mail@welighting.com



Unit 14-17, 20/F, Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong



www.welighting.com

© 2025 We Lighting Ltd. All rights reserved.