

new perspectives on scandinavian design



MUUTO

lighting collection

Muuto is rooted in the Scandinavian design tradition characterized by enduring aesthetics, functionality, craftsmanship and an honest expression. By expanding this heritage with forward-looking materials, techniques and bold creative thinking, our ambition is to deliver new perspectives on Scandinavian design. In fact our name, Muuto, comes from muutos, meaning new perspective in Finnish. We handpick leading contemporary designers who are strong interpreters of our philosophy and combine their talents with the passionate Muuto creative team. You will know our design because it has muutos: objects made sublime through new perspectives, enjoyed across the world, representing the best of Scandinavian design today.


new perspectives on scandinavian design


Spanning the whole spectrum of lighting—table, floor, portable and wall lamps as well as pendants—our collection is designed with forward-thinking functionality at its core. This allows you to adapt each design to the unique atmosphere of a space, adding a contemporary yet enduring sentiment that remains a strong presence even when not in use. These are our new perspectives on modern lighting.

content

overview
inspiration
general information

3
8
64




**Strand Pendant Lamp Series**

Closed: Ø 80 / 60 / 45 cm


Open: Ø 60 / 40 / 28 cm

Table: Ø 29 cm

18**Rime Lamp Series**

Pendants: Ø 45 / 37 / 25 / 12 cm


Wall: L 23 cm

22**Ambit Lamp Series**


Pendants: Ø 55 / 40 / 25 / 16,5 cm

Rail: L 126 cm

Wall: L 40,7 cm

26**Top Pendant Lamp**

Ø 38 / 36 / 28 / 21 cm

30**Fine Suspension Lamp**


L 120 / 90 / 60 cm

32




Linear Lamp Series
Pendants: L 87,2 / 169,2 cm
Table: H 36,5 cm

34




Calm Wall Lamp
Wall: Ø 90 / 68 / 50 cm

36




Fluid Pendant Lamp
Ø 42 / 23 cm

38




Grain Pendant Lamp
Ø 21 cm

39




Under The Bell Pendant Lamp
Ø 82 / 55 cm

40




Unfold Pendant Lamp
Ø 32,5 cm

42




E27 Pendant Lamp
Ø 12,5 cm

44




Cosy In Grey Table Lamp
H 32,4 cm

46




Beam Table Lamp
H 26,2 cm

47




Focus Table Lamp
H 29 cm

48




Control Table Lamp
H 21,5 cm

49




Ease Portable Lamp
H 21,5 cm

50




Piton Portable Lamp
H 32,1 cm

53



Post Lamp Series
Floor: H 136, 2 cm
Wall: Ø 9,5 cm


54


Tip Lamp Series

Floor: H 110,8 cm


Table: H 40 cm

Wall: Ø9,5 cm

56

Leaf Lamp Series

Floor: H 119 cm

Table: H 41,5 cm

60

Pull Floor Lamp

H 150 cm

62



Strand Pendant Lamp
by Benjamin Hubert





Tip Floor Lamp
by Jens Fager

“The Strand Pendant Lamp is designed in a unique cocoon material that filters light through for a comfortable glow, paired with its elegant shapes.”

—Benjamin Hubert



Post Floor & Wall Lamp
by Earnest Studio





“Top Pendant Lamp is our interpretation of the archetypical cone-shaped pendant, with a universal and simple design. The lamp’s distinctive top encases its most innovative part—the energy-efficient LED light source.”

—Big-Game



Top Pendant Lamp
by Big-Game



Beam Table Lamp
by Tom Chung

“The idea for Beam was to give as many possibilities to control the light as possible, while offering a poetic and interactive experience of light.”

—Tom Chung



15

Ease Portable Lamp
by Johan Van Engel



Unfold Pendant Lamp
by Form Us With Love

Tip Table Lamp
by Jens Fager

16



E27 Pendant Lamp
by Mattias Ståhlbom




With its cocoon material filtering light through for a warm, comfortable glow, the Strand Pendant Lamp hovers almost cloud-like in space, bringing comfort, harmony and a refined sensitivity to any room.




strand pendant lamp

by Benjamin Hubert




H 60,8 cm / 23.9"

Closed Ø 80 cm / 31.5"




H 54,8 cm / 21.6"

Closed Ø 60 cm / 23.6"




H 36,4 cm / 14.3"

Closed Ø 45 cm / 17.7"



H 40,3 cm / 15.9"

Open Ø 60 cm / 23.6"



H 50,2 cm / 19.8"

Open Ø 40 cm / 15.7"



H 37,4 cm / 14.7"

Open Ø 28 cm / 11"



Material

Cocoon layer with an inner steel structure, a PVC cord and PVC covered steel wire. Cocoon resin is a cocoon composite material that is sprayed onto a steel frame through a 3-step process of fiber web, cocoon plastic and protective top coating.

Light Source

Ø80 – EU/US: E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED. Light Source not included. Recommended light source: Type G125, Ø125 x 175 mm, E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED.

Ø60 – EU/US: E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED. Light Source not included. Recommended light source: Type G125, Ø125 x 175 mm, E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED.

Ø45 – EU/US: E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED. Light Source not included. Recommended light source: Type G80, Ø80 x 115 mm, E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED.

Ø40 – EU/US: E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED. Light Source not included. Recommended light source: Type G80, Ø80 x 115 mm, E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED.

Ø28 – EU/US: E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED. Light Source not included. Recommended light source: Type G80, Ø80 x 115 mm, E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED.

Versions


EU, UK, US, AUS/NZL, EURASIA, CHN



strand table lamp

by Benjamin Hubert

The Strand Table Lamp is a sculptural design fitted with a hidden light source that illuminates the whole of its monolithic form. The design brings a sense of comfort, harmony and a refined sensitivity to any room.



H 39 cm / 15.4"

Ø 29 cm / 11.6"

Material

Cocoon layer with inner steel structure, base in iron and aluminum, PVC cord with inline dimmer.

Light Source

EU/US: E27/E26, max. 13W SBLED. Light Source not included. Recommended light source: Type G80, Ø80 x 115 mm, E27/E26, 8W frosted LED. Light source must be dimmable.

Versions


EU, UK

The Rime Pendant Lamp brings an elegant, new perspective to the glass pendant through the use of mouth-blown semi-transparent glass.




rime pendant lamp

by TAF Studio




Ø 45 cm / 17.7"

H 55.5 cm / 21.9"



Ø 37 cm / 14.6"

H 45.5 cm / 17.9"



Ø 25 cm / 9.8"

H 30 cm / 11.8"



Ø 18 cm / 7.1"

H 15 cm / 5.9"



Ø 12 cm / 4.7"

H 15 cm / 5.9"



Black

Deep Red

White

Orange

Grey

Material

Mouth-blown glass shade that has been sandblasted. Aluminum, powder coated top-piece and pendant tube. PVC cord.

Light Source

Ø45 - EU/US: E27/E26, max. 60W Incandescent or 18W SBLED. Light source not included. Recommended light source: Type A67, Ø77 x 145 mm, E27/E26, max. 60W Incandescent or 18W SBLED.

Ø37 - EU/US: E27/E26, max. 60W Incandescent or 18W SBLED. Light source not included. Recommended light source: Type A60, Ø60 x 110 mm, E27/E26, max. 60W Incandescent or 18W SBLED.

Ø25 - EU/US: E14/E12, max. 40W Incandescent or 10W SBLED. Light source not included. Recommended light source: Type P45, Ø45 x 80 mm, E14/E12, max. 40W Incandescent or 10W SBLED.

Ø18 - EU: G9, max 25W Incandescent. Included light source: G9, 3W LED, 200 lm, 2.700K, 20.000h, CRI >90, dimmable.

Ø12 - EU: G9, max 25W Incandescent. Included light source: G9, 3W LED, 200 lm, 2.700K, 20.000h, CRI >90, dimmable.

Versions


EU, UK, US (except Ø12), AUS/NZL, CHN

Please note that the availability of this product or specific variants of it may vary across regions.

rime wall lamp

by TAF Studio

24



Black




White



Orange



Grey



L 23,9 cm / 9.1"

H 16,2 cm / 6.4"

Material

Shade in mouth-blown, sandblasted glass. Arm in pressure die-casted and powder-coated aluminum. Wall bracket in chrome-plated steel. Cord in PVC.

Light Source

EU: G9, max. 25W. Included light source: 3W frosted LED, 190 lm, 2700K, CRI 90, dimmable

Versions

EU, UK

The Rime Wall Lamp is inspired by the shape of acorns for its subtle lines while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for light to shine slightly through with a refined touch.








Embodying the values of Scandinavian design, the Ambit Pendant Lamp is as timeless as it is contemporary, gently enhancing the atmosphere of any room.



ambit pendant lamp

by TAF Studio



Material

Handspun and handpainted aluminum shade, PVC cord.

Light Source

Ø55 – EU/US: E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED. Light source not included. Recommended light source: Type A60, Ø60 x 110 mm, E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED.

Ø40 – EU/US: E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED. Light source not included. Recommended light source: Type A60, Ø60 x 110 mm, E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED.

Ø25 – EU/US: E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED. Light source not included. Recommended light source: Type G45 or P45, Ø45 x 85 mm, E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED.

Ø16,5 – EU/US: GX53, max. 12W SBLED. Light source included for EU version only: GX53, 5,5W LED, 330 lm, 2.700K, 30.000h, CRI >90, dimmable. Light source not included for US version. Recommended light source: GX53, Ø75 x 30 mm, max. 12W SBLED.

Versions

EU, UK, US, AUS/NZL (except Ø16,5), CHN

Please note that the availability of this product or specific variants of it may vary across regions.

ambit rail lamp

by TAF Studio

The Ambit Rail Lamp is characterized by its simple lines and elegant shapes, bringing a refined light to any space.



Black



White




Grey



Taupe



Dusty Green



126 cm / 49.5"

H 20 cm / 8"

Material

Rail made from cast and extruded aluminum. Shades in spun aluminum with a PVC cord and steel wires.

Light Source

EU/US: 3 x E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED.
Light source not included. Recommended light source: Type G45 or P45, Ø45 x 85 mm, 3 x E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED.

Versions

EU, UK, US, AUS/NZL, CHN

ambit wall lamp

by TAF Studio

The Ambit Wall Lamp is designed with a quiet, modern expression and subtle details. Through its rotating arm and head, the lamp brings functional, yet refined light to any room.




Black

White

Grey

Taupe



Material

Lampshade, arm fixture and wall mount piece are made from aluminum. Cord is made from PVC.

Light Source

EU/US: GX53, max. 12W SBLED. Light source included for EU version: GX53, 5,5W LED, 330 lm, 2.700K, 30.000h, CRI >90, dimmable. Light source not included for US version. Recommended light source: Ø75 x 30 mm, GX53, max. 12W SBLED.





Versions

EU, UK, US Versions: EU, UK, US

top pendant lamp

by Big-Game

With its universal and simple design, Top Pendant is a contemporary reinterpretation of the archetypical cone-shaped pendant. Its top is a striking feature designed to neatly fit its compact LED light source. Manufactured in spun steel with a graphic rolled hem.



Material
Spun steel shade with a high gloss wet paint finish. PVC cord. Socket in nylon.

Light Source
Ø38 - GX53, 9W SBLED. Included Light Source: GX53, 9W SBLED, 500 lm, 2.700K, CRI >90, dimmable.
Ø36 - GX53, 6W SBLED. Included Light Source: GX53, 6W SBLED, 350 lm, 2.700K, CRI >90, dimmable.
Ø28 - GX53, 9W SBLED. Included Light Source: GX53, 9W SBLED, 500 lm, 2.700K, CRI >90, dimmable.
Ø21 - GX53, 6W SBLED. Included Light Source: GX53, 6W SBLED, 350 lm, 2.700K, CRI >90, dimmable.

Versions
EU, UK, AUS/NZL



fine suspension lamp

by TAF Studio


Fine Suspension Lamp is a take on a classic tube light combining industrial minimalism with refined detailing. A versatile piece that offers a myriad of options, that can be hung both horizontally and vertically, and as an ambient, general or task light with a 320 degree beam angle.




Black Grey Deep Red



L 120 cm / 47.3"



L 90 cm / 35.4"



L 60 cm / 23.6"

Material

Body in pressure-die casted and extruded, powder coated aluminum. Diffuser in extruded opaque plastic. Lamp driver integrated in white plastic canopy.

Light Source

60 cm – 15W integrated, replaceable LED module designed for Right to Repair, meaning that light source can be replaced by an electrician only. 620 lm, 2.700K, 30.000 h, CRI >90, dimmable.

90 cm – 20W integrated, replaceable LED module, designed for Right to Repair, meaning that light source can be replaced by an electrician only. 950 lm, 2.700K, 30.000 h, CRI >90, dimmable.

120 cm – 25W integrated, replaceable LED module, designed for Right to Repair, meaning that light source can be replaced by an electrician only. 1.200 lm, 2.700K, 30.000 h, CRI >90, dimmable.

Versions

EU, UK, AUS/NZL



linear pendant lamp


by Thomas Bentzen

Designed to create intimate atmospheres within large spaces, the Linear Pendant Lamp provides dimmable overhead lighting while its elegant profile completes the setting.




Black

Grey



L 169,2 cm / 66.6"



L 87,2 cm / 34.3"

Material

Lamphead in pressure-die casted and extruded, powder coated aluminum.
Diffuser in polycarbonate. PVC cord.

Light Source

L169,2 cm - EU/US: Light source included: Integrated non-replaceable LED, 37,7W, 1880 lm, 3000K, 48.000h, CRI 90, dimmable.

L87,2 cm - EU/US: Light source included: Integrated non-replaceable LED, 20,3W, 1060 lm, 3.000K, 48.000h, CRI 90, dimmable.

Versions

EU, UK, AUS/NZL

linear table lamp

by Thomas Bentzen


The Linear Table Lamp and its familiar form alludes to the archetypal library lamp, featuring a dimmable LED and a USB-C plug for charging electronic devices.



Black



Grey



H 36,5 cm / 14.4"

W 23,2 cm / 9.1"

Material

Lamphead in pressure-die casted, powder coated aluminum. Stem in powder coated steel. Polycarbonate diffuser and PVC cord.

Light Source

EU/US: Light source included: Integrated non-replaceable LED, 6,25W, 242 lm, 3.000K, 48.000h, CRI 90, dimmable. Built-in 18W USB-C charger.

Versions


EU, UK, US

The Calm Wall Lamp has a sculptural identity that brings a soft and calming yet powerful presence to any atmosphere.




calm wall lamp


by Aleksej Iskos




Ø 90 CM / 35.4"



Ø 68 cm / 26.7"



Ø 50 cm / 19.6"



Touch Dim w. cord and plug
Ø 50 cm / 19.6"



White/Black

White/Grey

White/Orange

Material

Extruded aluminum profile, steel mounting plates. Injection molded ABS cover, soft diffusing textile shades (front and back). Colored silicone band.

Light Source

Ø50 – touch dim w. cord and plug: 19W integrated, non-replaceable LED module, 680 lm, 2.200-3.000K, 60.000h, CRI >90, dimmable.

Ø50 – 19W integrated, non-replaceable LED module, 710 lm, 2.200-3.000K, 60.000h, CRI >90, dimmable.

Ø68 – 28W integrated, non-replaceable LED module, 1.000 lm, 2.200-3.000K, 60.000h, CRI >90, dimmable.

Ø90 – 35W integrated, non-replaceable LED module, 1.400 lm, 2.200-3.000K, 60.000h, CRI >90, dimmable.

Ø50 touch dim version comes with a touch button and cable with a plug (no dimmer on the cable). All other sizes/variants come as hard-wired (Wall dim). Cord with inline dimmer and plug can be purchased separately and works for hardwired versions.

Versions



Ø50 - touch dim: EU, UK

Ø50, Ø68 & Ø90: EU, UK, AUS/NZL

fluid pendant lamp

by Claesson Koivisto Rune

Inspired by a resting drop of water, the Fluid Pendant Lamp shows how soft light can diffuse throughout a space to create a cosy atmosphere.



Material

The lampshade is made from mouth blown, white silk mat opal glass. PVC cord.

Light Source

Ø42 – EU/US: E27/E26, max. 60W Incandescent, 13W SBCFL or 18W SBLED. Light source not included. Recommended light source: Type A, Ø70 x 115 mm, E27/E26, max. 60W Incandescent, 13W SBCFL or 18W SBLED.

Ø23 – EU & US: G9, max. 40W Incandescent. Light source included: G9, 3W LED, 260 lm, 3.000K, 20.000h, CRI >90, dimmable.


Versions

EU, UK, US, AUS/NZL, CHN

grain pendant lamp

by Jens Fager


The Grain Pendant Lamp is made from a bamboo fiber composite, lending the design an elegant, matte surface.



Black




Dusty Green




Grey




Nature



Blue-Grey



Dark Green



Material

Lampshade is made in mixture of bamboo fibers and polypropylene. PVC cord.

Light Source

EU/US: G9, max. 5W SBLED. Light source included: 3W LED, 260 lm, 3.000K, 20.000h, CRI >90, dimmable.

Versions

EU, UK, US, AUS/NZL, CHN

Please note that the availability of this product or specific variants of it may vary across regions.

under the bell pendant lamp

by Iskos-Berlin

Under The Bell Pendant Lamp has a distinctly tactile and modern expression, designed in a material that uses up to 41% fibers from recycled plastic bottles.





Black

Grey

White Melange

Dark Green



Material

Shade is made in up to 41% fibers from recycled plastic bottles. PVC cord.
A large sheet of PET material is heated in a mould and pressed into its shape.

Light Source

Ø82 & Ø55 – EU/US: E27, max. 30W SBCFL or 18W SBLED / E26, max. 60W Incandescent or 30W SBCFL. Light source not included. Recommended light source: Type G125, Ø125 x 175 mm, E27, max. 30W SBCFL or 18W SBLED / E26, max. 60W Incandescent or 30W SBCFL.

Versions

EU, UK, US, AUS/NZL, EURASIA, CHN





The soft, silicone rubber shade of Unfold makes for a unique and playful take on the timeless industrial lamp. With its modern expression and soft materiality in a wide variety of colors, the Unfold Pendant Lamp adds a vibrant touch to any room.



unfold pendant lamp

by Form Us With Love



Material

Shade is made in silicone rubber and cord is made in PVC. The diffuser is made in a clear frosted opal acrylic material.

Light Source

EU/US: E27 max. 60W Incandescent, 20W SBCFL or 18W SBLED / E26, max. 100W incandescent, 20W SBCFL or 20W SBLED. Recommended light source: Type A60, Ø60 x 110 mm, E27 max. 60W Incandescent, 20W SBCFL or 18W SBLED / E26, max. 100W incandescent, 20W SBCFL or 20W SBLED.

Versions



EU, UK, US, AUS/NZL, EURASIA, CHN



e27 pendant lamp

by Mattias Ståhlbom

With its naked LED bulb and playfully modern silicone rubber material, the E27 Pendant Lamp is a simple yet characterful addition to any space.



Ø 12,5 cm / 5"

Material

Silicone rubber, socket inside in plastic and PVC cord.

Light Source

EU/US: E27/E26, max. 40W Incandescent or 6W SBLed. Light source included: Type G125, 2W LED, 180 lm, 2.500K, 20.000h, CRI >90, dimmable.

Versions

EU, UK, US, AUS/NZL, EURASIA, CHN


cosy in grey table lamp

by Harri Koskinen

With its modern shape in mouth-blown glass, the Cosy In Grey Table Lamp provides gentle lighting through its dimmable naked bulb, encased in smoked grey glass.



46



H 32,4 cm / 12.7"

W 23,2 cm / 9.1"

Material

Soda lime glass, transparent PVC cord with a dimmer, plastic socket and an internal clear plastic construction to secure cord and socket.

Light Source

EU/US: E27/E26, max. 60W. Light Source not included. Recommended bulb available at Muuto. Light source must be dimmable


Versions

EU, UK

beam table lamp

by Tom Chung

Beam is a versatile table lamp with a contemporary expression. Intuitively user-friendly, a turn of its playful dial makes light beam from both of its ends.




Aluminum

Black

Umber

Green



H 26,2 cm / 10.3"

18,7 cm / 7.4"

Material

Body in anodized aluminum. Cord in PVC.

Light Source

EU/US: Light source included: Integrated non-replaceable LEDs, 10.5W, 425 lm, 2.700 K, 35.000h, CRI >90, dimmable.

Versions


EU, UK, US, EURASIA

focus table lamp

by Andreas Bergsaker

With a protruding base that is perfect for storing small items, the Focus Table Lamp seamlessly fits on a windowsill or shelf in need for a bit of light.

48



Material
Turned ash wood, PVC cord

Light Source
GU10, max. 3W Incandescent. Light source included: GU10 LED, 2W, 150-300 lm, 2.500K, CRI >80, dimmable.

Versions
EU, UK

control table lamp

by TAF Studio

A unique and playful lamp with references to hi-fi and industrial design, the Control Table Lamp has a friendly dimmer that hints towards volume controls.




Black

White

Grey

Red



H 21,5 cm / 8.4"

W 21 cm / 8.3"
D 14 cm / 5.5"

Material

Casted aluminum, PVC cord

Light Source

EU/US: E27/E26, max. 40W Incandescent or 6W SBLED. Light source included: G125 LED, 2W, 180 lm, 2.500K, 30.000h, CRI >90, dimmable.

Versions

EU, UK, US, AUS/NZL



ease portable lamp

by Johan Van Engel

Ease Portable Lamp has a carryable size suitable to take wherever. Ease offers a high-quality dimmable, no-glare light with 3 levels, striking a balance between atmospheric and functional light.




Black

Grey

Taupe

Light Blue



Ø 13,16 cm / 5.18"

Material

Body and lampshade made in injection-molded ABS plastic. Diffuser in opal acrylic. Charging dock made in injection-molded ABS plastic with USB-C cable.

Light Source

4W integrated, non-replaceable LED module, 230 lm, 2.700K, 52.000h, CRI >90, dimmable. Battery: Type Li-ion, 7800 mAh, 8 operating hours in total maximum brightness. Portable Charging Station for up to 8 lamps available.

Versions

EU, UK, US, AUS/NZL

piton portable lamp

by Tom Chung


Piton Portable Lamp is an untraditional take on the battery-powered portable lamp, playfully referencing the archetypal flashlight.



Black



Aluminum



W 32,1 cm / 12.6"
D 13,2 cm / 5.2"

Material

Body made from anodized extruded aluminum. Lampshade made in injection molded plastic with an integrated and replaceable LED light bulb. Comes with a woven fabric USB-C cable for charging.

Light Source

Light source included: Integrated, replaceable 3.2W LED module, 210 lm, 2.700K, 75.000h, CRI >90, dimmable. Battery: Type Li-ion 18650, 3.7V DC, 5200 mAh, 6 operating hours in total maximum brightness.

Versions

EU, UK, AUS/NZL




post floor lamp

by Earnest Studio

The Post Floor Lamp is an innovative modular lighting design with an archetypal appearance, graphic lines and forward-thinking functionalities.

54



Material

Base in powder coated steel. Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffuser. Cable drops in powder coated plastic with magnet. Power hub in powder coated plastic with PVC cord.

Light Source

Integrated LED, max. 13W (two units incl. Power Hub). Light source included: Integrated LED, 13W, 660 lm (330 lm/unit), 2.700 K, 54.000h, CRI 90, dimmable.

Versions


EU, UK, US, EURASIA, AUS/NZL

9,5 cm / 3.7"

post wall lamp

by Earnest Studio

Exploring the utmost flexibility of a magnetic joint, the Post Wall Lamp can be positioned, dimmed and turned according to one's exact needs.



9,5 cm / 3.7"

H 5,4 cm / 2.1"



Material

Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffuser. Wall mounting bracket in powder coated steel. Wall cable drops in powder coated steel with magnet and repositionable adhesive tape. Power hub in powder coated plastic with PVC cord.

Light Source

Integrated LED, max. 6,7W (single unit incl. Power Hub). Light source included: Integrated LED, 6,7W, 330 lm, 2.700 K, 54.000h, CRI 90, dimmable.

Versions

EU, UK, US, EURASIA, AUS/NZL

tip floor lamp

by Jens Fager

The Tip Floor Lamp features a dimmable light source for both ambient and direct lighting. Designed with a height that allows the user to dim and turn the lampshade and arm whilst seated.

56




Black



White



Grey



D 32 cm / 12.6"

Stand Ø 20 cm / 7.9"

H 110.8 cm / 43.6"

Material

Powder coated aluminum. PVC cord.

Light Source

Integrated LED, max. 10,9W. Light source included: Integrated non-replaceable LED, 10,9W, 330 lm, 2.700K, 35.000h, CRI 90, dimmable.

Versions

EU, UK



tip table lamp

by Jens Fager

Offering direct as well as ambient light, the Tip Table Lamp's adjustable head and arm feature an opal diffuser and dimmer function that effortlessly alters the volume of light.

58



Black



White



Grey



Copper Brown



H 40 cm / 15.75"

D 29,5 cm / 11.5"
Stand Ø 16 cm / 6.25"

Material

Powder coated aluminum. PVC cord.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 220 lm, 3.000K, 35.000h, CRI 90, dimmable.

Versions

EU, UK, US, AUS/NZL

Please note that the availability of this product or specific variants of it may vary across regions.

tip wall lamp

by Jens Fager

The Tip Wall Lamp features an adjustable head with opal diffuser and dimmer function, allowing one to adjust the light to fit any atmosphere, function or room.



Black

White

Grey

Copper Brown



H 9,5 cm / 3.7"

D 16 cm / 6.3"

Lamp head Ø 9,5 cm / 3.7"

Material

Powder coated aluminum. PVC cord. Backplate in injection-molded plastic. Wall bracket in chrome steel.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 220 lm, 2.700K, 35.000h, CRI 90, dimmable.

Versions


EU, UK, US, AUS/NZL

Please note that the availability of this product or specific variants of it may vary across regions.

leaf floor lamp

by Broberg & Ridderstråle

With its elegant body and the organic shape of its head, the Leaf Floor Lamp brings a gentle and dimmable light to any space.



Black



White




Grey



Copper Brown



Dark Green



Lampshade 15,5 x 18,5 cm / 6" x 7.25"
Stand 22 cm / 8.75"

Material

Pressure die-casted aluminum, PVC cord.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 370 lm, 3.000K, 54.000h, CRI >90, dimmable.

Versions


EU, UK, US, AUS/NZL

Please note that the availability of this product or specific variants of it may vary across regions.

leaf table lamp

by Broberg & Ridderstråle

Inspired by the leaves of a tree and featuring a dimmable LED light, the Leaf Table Lamp is an easy match with a desk, bedside or any table space.




Black

White

Grey

Copper Brown

Dark Green



Lampshade 15,5 x 18,5 cm / 6" x 7.25"
Stand 18 cm / 7"

Material

Pressure die-casted aluminum, PVC cord.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 370 lm, 3.000K, 54.000h, CRI >90, dimmable.

Versions

EU, UK, US, AUS/NZL


Please note that the availability of this product or specific variants of it may vary across regions.

pull floor lamp

by Whatswhat

Fusing the ideas of Scandinavian design with a playful approach, the Pull Floor Lamp combines the warmth of oak with an adjustable shade for a cosy light.

62



Shade Ø 27 cm x H 24 cm /
Ø 10.5" x H 9.5"
Base Ø 31,5 cm / 12.5"

Material

Oiled Oak wood or Grey Lacquered Oak wood with steel insert, textile covered plastic shade and textile cord.

Light Source

EU/US: E27/E26, max. 60W Incandescent. Light source not included.
Recommended light source: Type A60, Ø65 x 97 mm, E27/E26, max. 60W Incandescent.

Versions

EU, UK, US, AUS/NZL





Artworks by

Adomo Design
 A Hint of Neon
 AKSO
 Amalie Jakobsen
 Anders Von Greffelsej
 Anne Brandhøj
 Anne Havskov
 Anne Nowak
 Atelier_alw
 Bornholms Kildevand
 Format Artspace
 Handmade by Marle
 Hein Studio
 Jehrbo Works
 Jeba Arkitekt
 Jonas Sangberg
 Kaja Skytte
 Kristel Laurits
 Lene Winther
 Linda Weimann
 Malene Bach
 Maria Lenskjold
 Matilde Duus
 Meyer Lavigne
 Nanna Gabriella
 Pil Pecht-Storm
 Shop Dora
 Skitse
 Stine Bidstrup
 Stine Leth
 Stine Regild
 Søs Heidi Ravn
 Tina Hvid
 Trine Bork

Availability

Please note that all variants are subject to stock availability and certification across regions. Please check availability with your local retailer.

Prices

Check our website muuto.com for the most recent and valid prices in your location.

Downloads

Find more product information, product fact sheets, assembly instructions, lifestyle images, packshots and much more on our download site.

download.muuto.com

Join Us

Sign up to our newsletter or follow us on social media to stay in the loop on new product releases, case stories and events.

muuto.com/newsletter
instagram.com/muutodesign
pinterest.com/muuto
facebook.com/muuto
twitter.com/muutodesign
linkedin.com/company/muuto

Muuto Head Office
 Østergade 36-38
 DK-1100 Copenhagen,
 Denmark

For more information
 visit muuto.com

This catalog is printed on eco-friendly,
high-quality paper in Denmark by
Narayana Press.



