

astro

NORTH
AMERICA
2024

LIGHTING
COLLECTION

Our Heritage

Since 1997, founders John Fearon and James Bassant have shared a passion for British lighting design and a vision to create products with distinctive quality. The insight gained over this time influences our comprehensive range of lighting for hospitality, residential, and commercial applications. Underpinned by a meticulous attention to detail, each design balances high performance with our commitment to sustainable, timeless design.

Our Approach

TIMELESS DESIGN

Designing products in-house is at the core of what we do. Original and refined, our ethos remains simple, to deliver pared-down aesthetics that enhance surroundings for years to come.

DIFFERENT BY DETAIL

Our conscious choices ensure every product stands out. Whether investing in manufacturing techniques, advanced engineering solutions, or selecting the best materials, we always focus on the finer details.



CREATING A SUSTAINABLE FUTURE

Responsible design is about being mindful of the whole lifecycle of our products. From the initial concept through to the end of a luminaire's life. Our three prioritised commitments guide each decision we make and are linked to the UN Global Goals for Sustainable Development.

Net Zero

Committed to going further than carbon neutrality, we are actively reducing emissions to as close to zero as possible across our entire value chain.

Astro Circular


Transforming our approach to design and engineering, we are generating new ways to lengthen the lifespan of our products and ensure that circular loops, such as *reuse, repair, and recycle* are adopted.

Light For All

Nearly 600 million people across sub-Saharan Africa lack access to light but this can change instantly with a simple solar light. Our partnership with global charity SolarAid, aims to spread awareness of this global energy crisis and support the most remote communities in Malawi and Zambia with clean, safe, solar power.



Find out more



Product Overview

BATHROOM



IO WALL
P. 12



VERSAILLES
P. 14



CABARET
P. 16



ZEPPPO WALL
P. 18



LYRA WALL
P. 20



LYRA WALL TWIN
P. 20



LYRA CEILING
P. 22



NARA
P. 24



OTTAWA
P. 26

INTERIOR



AKO
P. 30



VENN WALL
P. 32



AMALFI
P. 34



MILO
P. 36



ELLA WALL
P. 38



ARBOR
P. 40



IMARI WALL
P. 42



IMARI WALL
ADJUSTABLE
P. 42



CARLTON WALL
P. 44



CARLTON WALL
PLUG IN
P. 44



KOTO WALL
P. 46



LEDA WALL
P. 48



LEDA SWING ARM
P. 48



SERGE
P. 50



ASCOLI SWING
PLUG IN
P. 52



LUCCA
P. 54



KETA
P. 56



VENN READER
P. 58



VENN READER TWIN
P. 58



BATON
P. 60



ZEPP0 READER
P. 62



MONDRIAN
P. 64



HALO PORTABLE
P. 66



ZEPP0 PORTABLE
P. 68



VENN TABLE
P. 70



VENN TABLE
READER
P. 70



ELLA TABLE
P. 72



CARLTON DESK
P. 74



IMARI DESK
P. 76



ENNA DESK USB
P. 78



LEDA DESK
P. 80



LEDA FLOOR
P. 80



VENN FLOOR
P. 82



RAVELLO FLOOR
P. 84



KOTO SURFACE
P. 86



KOTO TRIPLE ROUND
P. 86



KOTO 3 BAR
P. 86



KOTO 4 BAR
P. 86



KOTO 5 BAR
P. 86

EXTERIOR



MAST LIGHT TWIN
P. 92

Collections



Zeppo Collection

Wall	P. 18
Reader	P. 62
Portable	P. 68

Also in the collection: Zeppo Ceiling



Leda Collection

Wall	P. 48
Swing Arm	P. 48
Desk	P. 80
Floor	P. 80




Venn Collection

Wall	P. 32
Reader	P. 58
Reader Twin	P. 58
Table	P. 70
Table Reader	P. 70
Floor	P. 82



Bathroom





420

665



420

io Wall

420 8W LED incl. 2700K 470lm 90CRI (T24)

665 7.4W LED incl. 2700K 605lm 90CRI

Phase dimmable

Damp rated




Made to Order Alternative color temperature and dimming options are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.

Technical data p.96



io Pendant



400



600

Versailles

400 9.3W LED incl. 3000K 535lm 90CRI

600 12.4W LED incl. 3000K 1062lm 90CRI


Phase dimmable

Damp rated




Made to Order Alternative finish, dimming, and color temperature options are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.

Technical data p. 100







5 with optional canopy



Cabaret 4 + 5


4 4 x 20W Max G9 excl.

5 5 x 20W Max G9 excl.

Damp rated

MB

Technical data p. 96



Zeppo Wall

20W Max G9 excl.

Damp rated


PCh MB

Technical data p. 101



Zeppo Collection







Lyra Wall

Single 25W Max G9 excl.

Twin 2 x 25W Max G9 excl.

Damp rated

Ceramic finish

GW



Ceiling

Technical data p.98



140



180

Lyra Ceiling

140 25W Max G9 excl.

180 60W Max E26 excl.

Damp rated

Ceramic finish



Technical data p.98



Wall







Nara Globe



Nara Taper



Nara Cone



Nara Pendant

7.5W LED Incl.

3000K 319lm 90CRI

Damp rated

Shade sold separately

PCh MB

Technical data p.99



Ottawa

Ottawa 20W Max GU10 excl.

Ottawa LED 11.8W LED incl. 3000K 735lm 90CRI

Phase dimmable

Damp rated


MB MW

Technical data p. 99






Interior



600



420

Ako

420 2 x 5.9W LED Incl.2700K 522lm 90CRI

600 2 x 5.9W LED incl. 2700K 483lm 90CRI

Phase dimmable



Made to Order Alternative finish and dimming options are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.



Technical data p. 94







Stadium 160 Shade



Venn Wall

15W Max E26 excl.

Shade sold separately

MN

Br

Made to Order Alternative switching options are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.



Venn Collection

Technical data p. 100



Amalfi

40W Max E26 excl.

C

Technical data p. 94







Milo

40W Max E26 excl.

C

Technical data p. 99




Ella Wall

2 x 20W Max G9 excl.
Porcelain shade

MB

LBr



Table

Technical data p. 95







Arbor

40W Max E12 excl.
Switched

MB	MW
----	----



Cable guide

Technical data p. 94



Wall Fixed



Wall Adjustable

Imari Wall

15W Max E26 excl.

Switched


Porcelain shade

MN Br

Technical data p. 96



Desk







Carlton Wall + plug-in

20W Max G9 excl.


Switched

Porcelain shade

Po



Desk



Cable guide

Technical data p. 95



Koto Wall

20W Max GU10 excl.

Switched



Technical data p. 97







Leda Wall + Swing Arm

10W Max 35mm GU10 excl.


Switched

MB

MN


MG

Supplied complete with Matt Black Head. Heads in alternative finishes are available to purchase separately and are simple to fit.



Leda collection

Technical data p. 97




Serge

20W Max G9 excl.
Switched

MB MW

Technical data p. 99



Cable guide







Ascoli Swing Plug-in

20W Max GU10 excl.

Switched

MB MW



Swing



Cable guide

Technical data p. 94



Surface



Recessed



Lucca

3.6W LED incl.

2700K 124lm 90CRI

Switched

Cord set option



Made to Order Alternative finishes, switching, and a cord set option are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.

Technical data p. 98







USB

Keta Non-USB

3.3W Max LED incl.

2700K 153lm 90CRI

Switched

Cord set option

MB Br MG

Made to Order Alternative finishes and a cord set option are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.

Technical data p. 96



Reader + Stadium 160 Shade



Twin Reader + Stadium 160 Shade




Venn Reader

Ambient 15W Max E26 excl.

Reader(each) 2W LED incl. 2700K 91lm 90CRI

Switched

Shade sold separately



Venn Collection

Technical data p. 100







Baton

Ambient 4.8W LED incl. 2700K 181lm 90CRI

Reader 4.8W LED incl. 2700K 93lm 90CRI


Switched

Cord set option



Made to Order Alternative cord set option is available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.

Technical data p.94



Zeppo Reader

Ambient 25W Max G9 excl.

Reader 4.1W LED incl. 2700K 149lm 90CRI


Switched

Cord set option

MB MN


Made to Order Alternative finishes and a cord set option are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.


Technical data p. 101






Zeppo collection









400



600




Mondrian

400 8W LED incl. 2700K 141lm 90CRI

600 12.3W LED incl. 2700K 218lm 90CRI

MB MN Br



Halo Portable

2.6W LED Incl.

2700K 214lm 90CRI

Switched

Integral Touch Dimmer

MB MW LBr

Technical data p. 96








Zeppo Portable


2.6W LED incl.
2700K 287lm 80CRI
Switched
4-step dimmer

MB PGr LBr



Zeppo Collection

Technical data p. 101



Stadium 220 Shade

Venn Table + Reader

Ambient 40W Max E26 excl.


Reader 3.3W LED incl. 2700K 91lm 90CRI

Switched

Shade Sold Separately



Technical data p. 100



Venn Collection







Ella Table


2 x 20W Max G9 excl.

Switched

Porcelain shade

MB

LBr



Wall

Technical data p. 95



Carlton Desk


20W Max G9 excl.

Switched

Porcelain shade



Technical data p. 95



Wall

Wall Plug-in







Imari Desk


15W Max E26 excl.

Switched

Porcelain shade



MN

Br



Wall Fixed + Wall Adjustable

Technical data p. 96



Enna Desk USB

4.4W Max LED incl.

2700K 164lm 90CRI

Switched




Technical data p. 95



Desk







Leda Desk + Floor

10W Max 35mm GU10 excl.

Switched



Supplied complete with Matt Black Head. Heads in alternative finishes are available to purchase separately and are simple to fit.



Wall + Swing arm

Technical data p. 97




Stadium 300 Shade

Venn Floor

40W Max E26 excl.

Switched


Shade Sold Separately



Venn Collection

Technical data p. 101







Ravello Floor

25W Max E26 excl.


Switched

Shade sold separately

Br

Made to Order Alternative finish options are available as Made to Order for this product subject to minimum order quantities and extended lead times. Please visit our website for further details.

Technical data p. 99



Ravello Collection



Koto

20W Max GU10 excl.



Technical data p. 97







Ascoli Swing



Keta



Lucca Recessed



Lucca Surface



Baton Reader



Zeppo Reader



Miura Wall



Miura Swing Arm



Mitsu Wall



Mitsu Swing Arm

Cord set options

The following products have all been designed to be supplied complete with a cord set for headboard mounting. These are available to special order only subject to an MOQ of 100pcs.

Ascoli Swing

Keta

Lucca Recessed

Lucca Surface

Baton

Zeppo Reader

Miura Wall

Miura Swing Arm



Mitsu Wall

Mitsu Swing Arm

Exterior







Mast Light Twin

2 x 6W Max GU10 excl.


Wet rated

MB AB



Mast Light

Technical data p. 98




AKO 420 P.30
Interior
Integral 2 x 5.9W LED
2700K 522lm 90CRI
Supply voltage 120V

Phase Dimmable
Vertical wall mount
UL
ADA

Fitting: 3 x 2" Switch box, 1/2" Stub mount, 4" Octagon box with included canopy kit or 4 x 2" Handy box

● **MB/MG** 1481020

○ **MW/MG** 1481021



AKO 600 P.30
Interior
Integral 2 x 5.9W LED
2700K 483lm 90CRI
Phase Dimmable

Vertical wall mount
Supply voltage 120V
UL
ADA

Fitting: 3 x 2" Switch box, 1/2" Stub mount, 4" Octagon box with included canopy kit or 4 x 2" Handy box

● **MB/MG** 1481023

○ **MW/MG** 1481024




AMALFI P.34
Interior
40W Max E26 excl.

Horizontal wall mount
Paintable

UL
ADA

○ **CE** 1079007




ARBOR P.40
Interior
40W Max E12 excl.
Switched

Vertical wall mount
Cable length 98.4"
1 Cable guide included

UL

● **MB** 1479003

○ **MW** 1479004




ASCOLI SWING PLUG-IN P.52
Interior
20W Max GU10 excl.
Switched

Wall mount
Tilt adjustable
Rotation adjustable

Cable length 98.4
1 Cable guide included
UL

● **MB** 1286140

○ **MW** 1286139



BATON P.60
Interior
2.9W LED + 2W additional LED incl.
2700K 181lm 90CRI
Switched

Vertical/horizontal wall mount
Tilt adjustable
Rotation adjustable
Supply voltage 100-277V

UL
Fitting: 4" Octagon box with included canopy Kit


● **MB** 1475027

● **MN** 1475028

cord set (made to order)

● **MB** 1475037

● **MN** 1475038



CABARET 4 P.16
Bathroom
4 x 20W Max G9 excl.
Damp rated

Vertical/horizontal wall mount
UL

Fitting: 1/2" Stub Mount, 4" Octagon box with included canopy kit

● **MB** 1087014

	CABARET 5 P.16 Bathroom 5 x 20W Max G9 excl. Damp rated	Horizontal/vertical wall mount UL	Fitting: ½" Stub Mount, 4" Octagon box with included canopy kit	● MB 1087018
	CARLTON DESK P.74 Interior 20W Max G9 excl. Switched	Tilt adjustable Rotation adjustable Cable length 78.7"	UL	○ PO 1467010
	CARLTON WALL P.44 Interior 20W Max G9 excl. Switched	Vertical wall mount Tilt adjustable Rotation adjustable	Fitting: 4" Octagon Box UL	○ PO 1467011
	CARLTON WALL PLUG-IN P.44 Interior 20W Max G9 excl. Switched	Vertical wall mount Tilt adjustable Rotation adjustable	Cable length 120" 1 Cable guide included UL	○ PO 1467014
	CURVE GLASS 220 CURVE GLASS 285	Clear Glass 5041003 Clear Glass 5041004		
	ELLA TABLE P.72 Interior 20W Max G9 excl.	Switched Cable length 78.7"	UL	● MB 1470005 ● LBr 1470006
	ELLA WALL P.38 Interior 20W Max G9 excl.	Vertical wall mount UL	Fitting: 1/2" Stub Mount or 4" Octagon Box	● MB 1470007 ● LBr 1470008
	ENNA DESK P.78 Interior 4.4W Max LED incl. 2700K 164lm 90CRI Switched	Tilt adjustable Rotation adjustable Supply frequency 50/60Hz Supply voltage 100-240V	Cable length 78.7-94.5" UL	● MB 1058211 ● MG 1058217 ○ MW 1058215 ● MN 1058216

	HALO P.66				
	Interior	Touch Sensor Dimming	USB-C Charging	● MB	1468004
	2.6W LED incl.	Switched	UL	○ MW	1468005
	2700K 214lm 90CRI	Supply voltage 5V DC		● LBr	1468006

	IMARI ADJUSTABLE WALL P.42				
	Interior	Vertical wall mount	Shade included	● Br	1460009
	15W Max E26 excl.	Tilt adjustable	UL	● MN	1460012
	Switched	Rotation adjustable	Fitting: 4" Octagon box		

	IMARI DESK P.76				
	Interior	Tilt adjustable	Shade included	● Br	1460007
	15W Max E26 excl.	Rotation adjustable	UL	● MN	1460010
	Switched	Cable length 102.36"			

	IMARI WALL P.42				
	Interior	Vertical wall mount	Shade included	● Br	1460008
	15W Max E26 excl.	Fitting: 4" Octagon box with included canopy kit	UL	● MN	1460011
	Switched				


	io WALL 420 P.12				
	Bathroom/Interior	Damp rated	Fitting: ½" Stub mount included junction box	● MB	1409032
	8W LED incl.	Wall Mount		● MG	1409034
	2700K 470lm 90CRI	Supply voltage 120V		● PCh	1409033
	Phase dimmable	UL			

	io WALL 665 P.12				
	Bathroom/Interior	Damp rated	Fitting: ½" Stub mount included junction box	● MB	1409043
	7.4W LED incl.	Wall mount		● MG	1409051
	2700K 605lm 90CRI	Supply voltage 90-305V		● PCh	1409044
	Phase & 0-10V dimmable	UL			

	KETA P.56				
	Interior	Horizontal/vertical wall mount	UL	● MB	1437026
	3.3W LED incl.	Tilt adjustable	Fitting: Included junction box	● MG	1437027
	2700K 153lm 90CRI	Rotation adjustable		● Br	1437025
	Switched	Supply voltage 100-277V			
				cord set (made to order)	
				● MB	1437032
				● MG	1437033
				● Br	1437031

	KOTO FIVE BAR P.86				
	Interior	Tilt adjustable	Fitting: 4" Octagon box	● MB	1478022
	20W Max GU10 excl.	Rotation adjustable		○ MW	1478028
	Wall/ceiling mount	UL			

	KOTO FOUR BAR P.86 Interior 20W Max GU10 excl. Wall / ceiling mount	Tilt adjustable Rotation adjustable UL	Fitting: 4" Octagon box	● MB 1478021 ○ MW 1478027
	KOTO SINGLE P.86 Interior 20W Max GU10 excl. Wall / ceiling mount	Tilt adjustable Rotation adjustable UL	Fitting: 4" Octagon box	● MB 1478017 ○ MW 1478023
	KOTO THREE BAR P.86 Interior 20W Max GU10 excl. Wall / ceiling mount	Tilt adjustable Rotation adjustable UL	Fitting: 4" Octagon box	● MB 1478020 ○ MW 1478026
	KOTO TRIPLE ROUND P.86 Interior 20W Max GU10 excl. Ceiling mount	Tilt adjustable Rotation adjustable UL	Fitting: 4" Octagon box	● MB 1478019 ○ MW 1478025
	KOTO WALL P.46 Interior 20W Max GU10 excl. Switched	Wall mount Tilt adjustable Rotation adjustable	UL Fitting: 4" Octagon box	● MB 1478018 ○ MW 1478024
	LEDA DESK P.80 Interior 10W Max 35mm GU10 excl. Switched	Tilt adjustable Rotation adjustable Cable length 88.6"	UL	● MB 1457006
	LEDA FLOOR P.80 Interior 10W Max 35mm GU10 excl. Switched	Tilt adjustable Rotation adjustable Cable length 120"	UL	● MB 1457005
	LEDA WALL P.48 Interior 10W Max 35mm GU10 excl. Switched	Vertical Wall mount Tilt adjustable Rotation adjustable	UL Fitting: 4" Octagon box	● MB 1457007


	LED SWING ARM P.48				
	Interior 10W Max 35mm GU10 excl. Switched	Vertical wall mount Tilt adjustable Rotation adjustable	UL Fitting: ½" Stub mount or 4" Octagon box	● MB 1457008	

LEDA SHADES

MB 5036001

MG 5036003


MN 5036004

	LUCCA RECESSED P.54				
	Interior 3.6W LED incl. 2700K 124lm 90CRI	Switched Wall Mount Supply voltage 100-240V	UL Fitting: Included junction box	● MB 1435029 ● Br 1435032	⑧

cord set (made to order)

● **MB** 1435037


● **Br** 1435040


	LUCCA SURFACE P.54				
	Interior 2.8W LED incl. 2700K 124lm 90CRI	Switched Wall mount Supply voltage 100-240V	UL Fitting: 4" Octagon box	● MB 1435017 ● Br 1435020	⑧


cord set (made to order)


● **MB** 1435025


● **Br** 1435028











	LYRA CEILING 140 P.22				
	Bathroom 25W Max G9 excl.	Damp rated Ceiling Mount	UL Fitting: 4" Octagon box	○ CE 1472007	⑧


	LYRA CEILING 180 P.22				
	Bathroom 60W Max E26 excl. Damp rated	Ceiling mount Fitting: 4" Octagon box UL	Fitting: 4" Octagon box	○ CE 1472008	⑧




	LYRA WALL SINGLE P.20				
	Bathroom 25W Max G9 excl.	Damp rated Vertical wall mount	UL Fitting: 3 x 2" Switch box	○ CE 1472005	⑧



	LYRA WALL TWIN P.20				
	Bathroom 2 x 25W Max G9 excl.	Damp rated Wall mount	UL Fitting: 4 x 2" Handy box	○ CE 1472006	⑧



	MAST TWIN P.92				
	Outdoor 2 x 6W Max GU10 excl.	Wet rated Wall mount	UL Fitting: 4 x 2" Handy box	● TB 1317020 ● AB 1317019	


	MILO P.36 Interior 40W Max E26 excl.	Horizontal wall mount Paintable	UL ADA	○ CE 1299010
	MONDRIAN 400 P.64 Interior 8W LED incl. 2700K 141lm 90CRI	Horizontal wall mount Tilt adjustable Supply voltage 100-277V	UL Fitting: 3 x 2" Switch box, ½" Stub mount or 4 x 2" Handy box	 ● MB 1374043 ● Br 1374025 ● MN 1374021
	MONDRIAN 600 P.64 Interior 11.8-12.8W LED incl. 2700K 218-380lm 90CRI	Horizontal wall mount Tilt adjustable Supply voltage 100-277V	UL Fitting: 3 x 2" Switch box, ½" Stub mount or 4 x 2" Handy box	 ● MB 1374044 ● Br 1374026 ● MN 1374022
	NARA PENDANT P.24 Bathroom 7.5W LED Incl. 3000K 319lm 90CRI	Damp location Ceiling mount Supply voltage 100-277V	UL Fitting: 4" Octagon box	 ● MB 1464004 ● PCh 1464002
	NARA PENDANT SHADES	Globe Glass 5039001 Taper Glass 5039003	Globe Ribbed Glass 5039002 Taper Ribbed Glass 5039003	Cone Glass 5039005
	OTTAWA P.26 Bathroom 20W Max GU10 excl.	Damp rated Ceiling mount	UL Fitting: 4" Octagon box	● MB 1474003 ○ MW 1474004
	OTTAWA LED P.26 Bathroom 11.8W LED incl. 3000K 735lm 90CRI	Phase Dimmable Damp rated Ceiling Mount	Supply voltage 110-130 UL Fitting: 4" Octagon box	● MB 1474005 ○ MW 1474006
	RAVELLO FLOOR P.84 Interior 25W Max E26 excl.	Switched Cable length 88.6"	UL	● Br 1222076
W. 16.5" / 420mm D. 19.1" / 485mm	DRUM 420 SHADE TAPERED SQUARE 300 SHADE	BF 5016005 OF 5016006 PF 5016028 WF 5016004 BF 5030011 OF 5030013 PF 5030014 WF 5030012		
	SERGE P.50 Interior 20W Max G9 excl. Switched	Wall Mount Tilt adjustable Rotation adjustable	Cable length 98.4" UL	● MB 1476005 ○ MW 1476004

 <p>61" / 1550mm</p> <p>W. 9.2" / 234mm D. 16.7" / 424mm</p>	VENN FLOOR P.82				
	Interior 40W Max E26 excl.	Switched Cable length 118.1"	UL	● Br 1433033 ● MN 1433034	
	STADIUM 300 SHADE	WF 5043005	PF 5043006		

 <p>11.6" / 295mm</p> <p>W. 12.4" / 315mm D. 5.6" / 142mm max</p>	VENN READER P.58				
	Interior 15W Max E26 excl. + 2W LED incl. 2700K 211lm 90CRI	Switched Vertical wall mount Additional driver frequency 50/60	Supply voltage 115-250V UL Fitting: 4" Octagon box	● Br 1433013 ● MN 1433017	
 <p>11.6" / 295mm max</p> <p>W. 12.4" / 315mm D. 5.6" / 142mm max</p>	VENN READER TWIN P.58				
	Interior 15W Max E26 excl. + 2W LED incl. 2700K 211lm 90CRI	Switched Vertical wall mount Additional driver frequency 50/60	Supply voltage 115-250V UL Fitting: 4" Octagon box	● Br 1433014 ● MN 1433018	
 <p>6.3" / 160mm</p> <p>W. 12.4" / 315mm D. 5.3" / 135mm</p>	VENN WALL P.32				
	Interior 15W Max E26 excl.	Vertical wall mount UL		● Br 1433011 ● MN 1433015	
	STADIUM 160 SHADES	WF 5043001	PF 5043002		

 <p>21.7" / 550mm</p> <p>W. 7.1" / 180mm D. 12.2" / 310mm</p>	VENN TABLE P.70				
	Interior 40W Max E26 excl.	Switched Cable length 78.7"	UL	● Br 1433039 ● MN 1433040	
 <p>21.7" / 550mm</p> <p>W. 7.1" / 180mm D. 12.2" / 310mm</p>	VENN TABLE READER P.70				
	Interior 40W Max E26 excl.+ 2W LED incl. 2700K 211lm 90CRI	Switched Additional driver frequency 50/60 Cable length 78.7"	UL	● Br 1433041 ● MN 1433042	
	STADIUM 220 SHADE	WF 5043003	PF 5043004		

 <p>4.9" / 125mm 3.5" / 89mm 15.8" / 400mm</p>	VERSAILLES 400 P.14				
	Bathroom/Interior 9.3W LED incl. 3000K 535lm 90CRI Phase Dimmable	Damp rated Vertical wall mount Supply voltage 120V UL	Fitting: ½" Stub mount or 4" Octagon box	● Br 1380049 ● MG 1380050	Ⓢ Ⓟ
 <p>4.9" / 125mm 3.5" / 89mm 23.6" / 600mm</p>	VERSAILLES 600 P.14				
	Bathroom/Interior 12.4W LED incl. 3000K 1062lm 90CRI Phase Dimmable	Damp rated Vertical wall mount Supply voltage 120V UL	Fitting: ½" Stub mount or 4" Octagon box	● Br 1380065 ● MG 1380066	Ⓢ Ⓟ




ZEPP0 PORTABLE P.68

Interior
2.6W LED incl.
2700K 287lm 80CRI
4-Step Dimmable
Switched
Supply voltage 5V DC

UL

- **MB** 1176027
● **LBr** 1176030
● **PG** 1176034




ZEPP0 READER P.62

Interior
25W Max G9 excl. + 2W LED incl.
Switched
Horizontal/vertical wall Mount
Tilt adjustable
Rotation adjustable
Additional driver frequency 50/60
UL

Fitting: 3 x 2" Switch box, 1/2" Stub mount or 4 x 2" Handy box

- **MB** 1176041
● **MN** 1176042
cord set (made to order)
● **MB** 1176043
● **MN** 1176044



ZEPP0 WALL P.18

Bathroom
20W Max G9 excl.
Damp rated
Wall mount

UL
Fitting: 4" Octagon box


- **MB** 1176046
● **MN** 1176038




Finishes + Symbols



Antique Brass




Bronze



Ceramic



Glass White



Light Bronze



Matt Black



Matt Gold




Matt Nickel




Matt White



Polished Chrome



Pebble Grey



Porcelain



GLASS COMPONENT



PHOTOMETRIC DATA

Please refer to the Astro website: astrolighting.com for photometric data on this product.


Fabric Shades



WF*
White fabric



BF*
Black fabric



OF*
Oyster fabric



PF*
Putty fabric

* Please note colours may vary from batch to batchWhite fabric

STANDARD COLOURS We supply a range of standard shade options to complement our designs. You'll find full details of compatible shades on each of the product pages and on our website.



SPECIAL ORDERS All Astro shades are available in a variety of additional colours and can be ordered on a special basis with a minimum order quantity of 30 pieces.

Made to Order



Made to Order In addition to our extensive product portfolio which can be found at astrolighting.com, we also provide exclusive specification options. Special order luminaires, which offer you flexibility in finish, size or specification, have a minimum order quantity of 100 pieces and an extended lead time, although we will always work hard to meet your project deadline.

Astro Global Locations



Astro Headquarters, Harlow, United Kingdom

North America
us.astrolighting.com

Germany
astrolighting.com/de

Italy
astrolighting.com/it

United Kingdom
astrolighting.com

Enquiries
customerservice@astrolighting.com



Design Rights

The majority of products shown in this catalogue have been designed by Astro Lighting Limited, which retains the ownership of all design rights in these Astro-designed products. Astro Lighting has a policy of constant product improvement, and whilst every care has been taken in the production of this catalogue, products supplied may differ in detail from the illustrations, images and descriptions given and therefore these descriptions and illustrations shall not form part of any contract. Details of alterations will be provided on request. Astro Lighting only use LEDs from the leading manufacturers. Nevertheless, colour temperatures can vary between batches and between manufacturers.

us.astrolighting.com
hello-us@astrolighting.com
Follow @astrolighting



